



ED TV

user manual

Thank you for purchasing this Samsung product. To receive more complete service, please register your product at WWW.Samsung.com/register

SUPPORT

Model _____ Serial No. _____

Solution If you have any questions, please call us at 1-800-SAMSUNG (1-800-726-7864) for assistance.

A detailed User's Manual is built into your TV. For more information about how to view this e-Manual see page 33.

Figures and illustrations in this User Manual are provided for reference only and may differ from actual product appearances. Product design and specifications may be changed without notice.

Important Warranty Information Regarding

See the warranty card for more information on warranty terms.

Wide screen format LED Displays (with 16:9 aspect ratios, the ratio of the screen width to height) are primarily designed to view wide screen format fullmotion video. The images displayed on them should primarily be in the wide screen, 16:9 ratio format, or expanded to fill the screen, if your model offers this feature, with the images constantly in motion. Displaying stationary graphics and images on the screen, such as the dark sidebars on non-expanded standard format television video and programming, should be limited to no more than 5% of the total television viewing per week.

Additionally, viewing other stationary images and text such as stock market reports, video game displays, station logos, web sites or computer graphics and patterns, should be limited as described above for all televisions. Displaying stationary images that exceed the above guidelines can cause uneven aging of LED Displays that leave subtle, but permanent burned-in ghost images in the LED picture. To avoid this, vary the programming and images, and primarily display full screen moving images, not stationary patterns or dark bars. On LED models that offer picture sizing features, use these controls to view different formats as a full screen picture.

Be careful about the television formats you select and the length of time you view them. Uneven LED aging as a result of format selection and use, as well as burned in images, are not covered by your Samsung limited warranty.

SAMSUNG ELECTRONICS NORTH AMERICAN LIMITED WARRANTY STATEMENT

Subject to the requirements, conditions, exclusions and limitations of the original Limited Warranty supplied with Samsung Electronics (SAMSUNG) products, and the requirements, conditions, exclusions and limitations contained herein, SAMSUNG will additionally provide Warranty Repair Service in the United States on SAMSUNG products purchased in Canada, and in Canada on SAMSUNG products purchased in the United States, for the warranty period originally specified, and to the Original Purchaser only.

The above described warranty repairs must be performed by a SAMSUNG Authorized Service Center. Along with this Statement, the Original Limited Warranty Statement and a dated Bill of Sale as Proof of Purchase must be presented to the Service Center. Transportation to and from the Service Center is the responsibility of the purchaser. Conditions covered are limited only to manufacturing defects in material or workmanship, and only those encountered in normal use of the product.

Excluded, but not limited to, are any originally specified provisions for, in-home or on-site services, minimum or maximum repair times, exchanges or replacements, accessories, options, upgrades, or consumables.

For the location of a SAMSUNG Authorized Service Center, please call toll-free:

- In the United States : 1-800-SAMSUNG (1-800-726-7864)

- In Canada : 1-800-SAMSUNG

Still image warning

Avoid displaying still images (such as jpeg picture files), still image elements (such as TV channel logos, stock or news bars at the screen bottom etc.), or programs in panorama or 4:3 image format on the screen. Constantly displaying still pictures can cause image burn-in on the LED screen, which will affect image quality. To reduce risk of this effect, please follow the recommendations below:

- Avoid displaying the same TV channel for long periods.
- Always try to display any image in full screen. Use the TV set's picture format menu for the best possible match.
- · Reduce brightness and contrast to avoid the appearance of after-images.
- Use all TV features designed to reduce image retention and screen burn. Refer to the e-Manual for details.

- 3D: This exciting new feature enables you to view 3D content.
- SMART HUB: Your gateway to all your content, integrated in one place.
 - Provides diverse entertainment choices.
 - Lets you control your entertainment life with an easy-to-use, user friendly user interface.
 - Gives you easy access to diverse apps, with more being added every day.
 - Lets you customize your TV by grouping and sorting apps to your taste.
- AllShare Play: Lets you access, view, or play photos, videos, or music located on USB devices, digital cameras, cell phones, and PCs. PCs and cell phones can be accessed wirelessly, through your wireless network.
- Anynet+ (HDMI-CEC): Allows you to control all connected Samsung devices that support Anynet+ with your Samsung TV's remote.
- e-Manual: Provides a detailed, on-screen user's manual that's built into your TV. (page 33)

Accessories and Cables

- Please make sure the following items are included with your TV. If any items are missing, contact your dealer.
- Solution The items' colors and shapes may vary depending on the model.
- Make sure that there are no accessories hidden behind or under packing materials after you open the box.
- Remote Control & Batteries (AAA x 2)

· Warranty Card / Safety Guide

User Manual

- 3D Active Glasses
- Power Cord





Assembling the Stand Wire Holder




English - 3 *


Input Cables (Sold Separately)

You will need one or more of these cables to connect your TV to your antenna or cable outlet and your peripheral devices (Blu-ray players, DVD players, etc.)

To purchase the RS232 cable, contact www.SamsungParts.com.



Make sure you have the correct cable before plugging it in. Illustrations of common plugs and jacks are below.





Do not plug cables in upside down. Be sure to check the orientation of the plug before plugging it in.

Wireless Keyboard (Sold Separately)






Providing Proper Ventilation for Your TV


When you install your TV, maintain a distance of at least 4 inches between the TV and other objects (walls, cabinet sides, etc.) to ensure proper ventilation. Failing to maintain proper ventilation may result in a fire or a problem with the product caused by an increase in its internal temperature.

- Solution Whether you install your TV using a stand or a wall-mount, we strongly recommend you use parts provided by Samsung Electronics only.
 - If you use parts provided by another manufacturer, it may cause difficulties with the product or result in injury caused by the product falling.





Other Warnings

The actual appearance of the TV may differ from the images in this manual, depending on the model.
 Be careful when you touch the TV. Some parts can be somewhat hot.




Follow the steps below to connect the TV to the stand. For more detailed instructions, see the separate stand installation guide.





Follow the steps below to connect the TV to the stand. For more detailed instructions, see the separate stand installation guide.



NOTE

- Make sure to distinguish between the front and back of each component when assembling them.
- Make sure that at least two people lift and move the TV.
- Stand the product up before you tighten the screws. If you tighten the screws with the TV lying down, it may lean to one side when you stand it up.

Installing the Wall Mount (Optional)



If you mount this product on a wall, it should be mounted only as recommended by the manufacturer. Unless it is correctly mounted, the product may slide or fall, causing serious injury to a child or adult, and serious damage to the product.

Installing the Wall Mount Kit

The wall mount kit (sold separately) lets you mount the TV on the wall.

Wall or Ceiling Mounting


For detailed information about installing the wall mount, see the instructions provided with the wall mount. We recommend you contact a technician for assistance when installing the wall mount bracket. We do not advise you to do it yourself. Samsung Electronics is not responsible for any damage to the product or injury to yourself or others if you elect to install the wall mount on your own.

To order the wall mount kit, contact Samsung Customer Care at 1-800-SAMSUNG (1-800-726-7864).

VESA Wall Mount Kit Notes and Specifications

Install your wall mount on a solid wall perpendicular to the floor. Before attaching the wall mount to surfaces other than plaster board, please contact your nearest dealer for additional information. If you install the TV on a ceiling or slanted wall, it may fall and result in severe personal injury.

- Standard dimensions for wall mount kits are shown in the table below.
- Samsung wall mount kits contain a detailed installation manual and all parts necessary for assembly are provided.
- Do not use screws that do not comply with the VESA standard screw specifications.
- Do not use screws that are longer than the standard length or do not comply with the VESA standard screw specifications. Screws that are too long may cause damage to the inside of the TV set.
- For wall mounts that do not comply with the VESA standard screw specifications, the length of the screws may differ depending on the wall mount specifications.
- Do not fasten the screws too firmly. This may damage the product or cause the product to fall, leading to personal injury. Samsung is not liable for these kinds of accidents.
- Samsung is not liable for product damage or personal injury when a non-VESA or non-specified wall mount is used or the consumer fails to follow the product installation instructions.
- Do not mount the TV at more than a 15 degree tilt.
- Always have two people mount the TV on a wall.




Semove the screws in the mounting holes before you install the wall mount.


Do not install your Wall Mount Kit while your TV is turned on. It may result in personal injury due to electric shock.

Installing a Wall Mount from Another Manufacturer

To install a wall-mount from another manufacturer, use the Holder-Ring.



Connecting the Power Cord and the Antenna or Cable Connection




- Plug the power cord into a wall outlet only after you have made all other connections.
- If you are connecting your TV to a cable or satellite box using HDMI, Component, or Video connections, you do not need to connect the ANT IN jack to an antenna or a cable connection.
- Use caution when you move or swivel the TV if the antenna cable is tightly connected. You could break the antenna jack off the TV.

Connecting to AV Devices (Blu-ray Players, DVD Players, etc.)

Using an HDMI Cable for an HD connection (up to 1080p, HD digital signals)

For the best quality HD picture, we recommend using an HDMI connection.


Use with DVD players, Blu-ray players, HD cable boxes, and HD Set-Top-Box satellite receivers.



No. HDMI IN 1 (DVI), HDMI IN 2 (ARC), HDMI IN 3

- For the best picture and audio quality, connect digital devices to the TV using HDMI cables.
- An HDMI cable supports digital video and audio signals, and does not require an audio cable.
 - To connect the TV to a digital device that does not support HDMI output, use an HDMI to DVI cable and audio cables.
- If you connect an external device to the TV that uses an older version of HDMI, the video and audio may not work. If this occurs, ask the manufacturer of the device about the HDMI version and, if it is out of date, request an upgrade.
- Be sure to purchase a certified HDMI cable. Otherwise, the picture may not display or a connection error may occur.
- We recommend using a basic high-speed HDMI cable or an HDMI cable that is Ethernet compatible. Note that this product does not support the Ethernet function via HDMI.
- This product supports the 3D and ARC (Audio Return Channel) functions via an HDMI cable. Note that the ARC function is supported by the HDMI IN 2 (ARC) port only.
- The ARC function allows digital audio to output via the HDMI IN 2 (ARC) port on the TV. It can be enabled only when the TV is connected with an audio receiver that supports the ARC function.


Sor the best cable connection to this product, use cables no thicker than the cable illustrated below:



Maximum thickness - 0.55 inches (14mm)

Using a Component Cable (up to 1080p HD signals) or an Audio/Video Cable (480i analog signals only)

Use with DVD players, Blu-ray players, cable boxes, STB satellite receivers, VCRs.




So For better picture quality, we recommend the Component connection over the A/V connection.

When you connect a Video cable to AV IN, the color of the AV IN [VIDEO] jack (green) will not match the video cable (yellow).

Using an Optical (Digital) Cable Connection and a Standard Stereo Cable Connection

Use with Digital Audio Systems, Amplifiers, and Home Theaters.



Solution State State

- When you connect a Digital Audio System to the DIGITAL AUDIO OUT (OPTICAL) jack, decrease the volume of both the TV and the system.
- 5.1 CH (channel) audio is available when you connect the TV to an external device supporting 5.1 CH.
- When the receiver (or home theater) is set to on, you can hear sound output from the TV's optical jack. When the TV is receiving a DTV signal, the TV will send 5.1 CH sound to the home theater receiver. When the source is a digital component such as a DVD player / Blu-ray player / cable box / STB (Set-Top-Box) satellite receiver and you connected it to the TV via HDMI, you will only hear 2 CH audio from the home theater receiver. If you want to hear 5.1 CH audio, connect the digital audio out jack from your DVD / Blu-ray player / cable box / STB satellite receiver directly to an amplifier or home theater.

S AUDIO OUT: Connects to the audio input jacks on your amplifier/DVD home theater.


- When connecting, use the appropriate connector.
- When you connect an audio amplifier to the AUDIO OUT jacks, decrease the volume of the TV and adjust the volume level with the amplifier's volume control.

Connecting to a PC

Using an HDMI cable or an HDMI to DVI cable

Sour PC may not support an HDMI connection.

Subset your PC speakers for audio.



The optimal resolution is 1920 X 1080 @ 60 Hz. See the Display Resolution page for all available resolutions (page 42).

NOTE

- For an HDMI to DVI cable connection, you must use the HDMI IN 1 (DVI) jack.
- For PCs with DVI video out jacks, use an HDMI to DVI cable to connect the DVI out on the PC to the HDMI IN 1 (DVI) jack on the TV. Use the PC's speakers for audio.
- PC (D-Sub) input is not supported.

The EX-Link Cable Connection



The **EX-LINK** connection is for service only.


Connecting to a Network

You can set up your TV so that it can access SMART TV applications through your local area network (LAN) using a wired or wireless connection.

After you have "physically" connected your TV to your network, you must configure the network connection to complete the process. You can configure the connection during the Initial Setup process (see page 23) or after the Initial Setup process, through the TV's menu (see page 31).

Network Connection - Wireless

You can connect your TV to your local area network (LAN) through a standard wireless router or modem.



This TV supports the IEEE 802.11a/b/g and n communication protocols. Samsung recommends using IEEE 802.11n. If you play video using IEEE 802.11a, b, or g, the video may not play smoothly.

Most wireless network systems incorporate a security system that requires devices that access the network through an access point or AP (typically a wireless router or modem) to transmit an encrypted security code called an access key.


Your TV is compatible with the following security protocols:

- Authentication Mode: OPEN, SHARED, WPAPSK, WPA2PSK
- Encryption Type: WEP, TKIP, AES

If you select Pure High-throughput (Greenfield) 802.11n mode and the Encryption type is set to WEP or TKIP on your AP or wireless router, Samsung TVs will not support a connection in compliance with new Wi-Fi certification specifications.

Network Connection - Wired

There are three main ways to connect your TV to your network using cable, depending on your network setup. They are illustrated starting below:




The TV does not support network speeds less than or equal to 10Mbps.

Subse Cat 6 (STP Type*) cable for the connection. (*Shielded Twisted Pair)

The Remote Control

Installing batteries (Battery size: AAA)

Match the polarity of the batteries to the symbols in the battery compartment.




NOTE

- Install the batteries so that the polarity of the batteries (+/-) matches the illustration in the battery compartment.
- Use the remote control within 23 feet of the TV.
- Bright light may affect the performance of the remote control. Avoid using it near fluorescent lights or neon signs.
- The color and shape of the remote may vary depending on the model.

The Remote Control Buttons

Learn where the function buttons are on your remote. Especially note **SOURCE**, **MUTE**, **VOL**, **CH**, **MENU**, **TOOLS**, I, **INFO**, **CH LIST**, **RETURN**, and **EXIT**.

This remote control has Braille points on the Power, Channel, and Volume buttons and can be used by visually impaired persons.



Setting up Universal Remote with The Universal Remote Setup Application

- If your remote controller buttons does not work, please set your remote to TV mode by using the DEVICE button.
- 1. To set up Universal Remote, press the SETUP button on your remote.
- 2. To identify your remote, press and hold the SETUP button for 8 seconds. If you use this function for the first time, the END USER LICENSE AGREEMENT screen appears.
- 3. Press the 🖃 button to select AGREE. It is required to agree with the terms prior to using Universal Remote.
- 4. Select a remote control you have. The remote option menu screen appears.
- 5. Select Add a device to control. The Select a device screen appears.
- 6. Select an external device you want to connect. The Input Source screen appears.
- 7. Select a port that the external device is connected to the TV. If your TV cannot find an external device, please check your external device connection, and then try again by selecting **Refresh**.
- 8. To search a brand name, select **Search brands/TV service providers**. The QWERTY keypad screen appears. Input a brand name using the QWERTY keypad screen. When done, select **Done**. Wait until the search is completed and then select a brand name in the search result.
- 9. Select Search Model. The QWERTY keypad screen appears. Input a model number in the same way as Step 8, and then select a model number you have in the search result list. If you can't find the model, select Recommended model. The TV progresses a test using the code set of the brand you selected. If you select Recommended model, go to Step 11. If you select a model in the search result list, go to Step 13.
- 10. The Test screen appears. Press and hold the SETUP button for 3 seconds. Numbers appears on the screen.
- 11. Enter the following numbers using your remote. The button test screen appears.
- 12. Press the V CH A button to test your remote. If your external device working, select Yes, go to the next step. to register the device. If you external device is not work, select No, try the test with a different code set. If you select No, try the test with a different code set., the TV changes the code data, and then the Test screen reappears. Try again Steps 10 to 12.
 - If all the code data do not work, please check the brand name or search a model name of your external device again.
- 13. Your external device has been setup successfully.
- When you use the BD home theater by using Universal Remote, some buttons may not be supported. In this case, we recommend to use **Anynet+ (HDMI-CEC)** function.



Setting up Universal Remote with Universal Remote Code Set

If your remote controller buttons does not work, please set your remote to TV mode by using the **DEVICE** button.

- 1. To set up Universal Remote, press the **SETUP** button on your remote for 3 seconds. All the LEDs on the top of your remote blink twice simulaneously.
- 2. Press the 1 button on your remote to select a Set-top box.
- 3. Press the number button corresponding to the port of device connected.
 - Port numbers are as follows:

1	2	3	5	7
HDMI 1/DVI	HDMI 2	HDMI 3	AV	Component

- 4. Enter Universal Remote Code corresponding to device you have.
 - For more detailed information about Universal Remote Code, refer to "Universal Remote Code Set list" on page 21.
- 5. When done, all the LEDs on the top of your remote blink twice simultaneously.
- 6. Set your remote to STB mode by using the **DEVICE** button, and then test your remote. If you external device is not work, try again Steps 2 to 4 by using another Universal Remote Code.
 - Each time you press the number button, one of the LED blinks. You can check input result through the LED on the top of your remote. If you press the button too fast, Universal Remote Code may not input correctly.

Using your remote as a Universal Remote


In Universal Remote mode, you can use your remote to control your TV and STB together, your TV alone, or your STB alone. When you have set your remote to control your TV and STB, certain buttons control the TV only and certain buttons control the STB only.

Controlling the TV and STB Together

To control your TV and STB together, press the **WATCH TV** button at the top center of your remote. The TV and STB LEDs go on and off. If the TV is on, it automatically changes to the source the STB is connected to.

You can control the TV and Set-Top box using the universal remote. (For example, press the Volume button to adjust the TV volume, press the channel button to change the STB channels, etc.)

- See the illustration to the right. When you are using the remote as a universal remote, the buttons demarcated for TV control the TV only and the buttons demarcated for STB control the set top box only.
- Universal Remote Control can adjust TV's volume, but STB's volume cannot be adjusted. Watch STB after adjusting STB's volume to appropriate level.
- To turn only the TV off, press the DEVICE button, change to TV mode, and then press the O button. To turn only the STB off, press the DEVICE button, change to STB mode, and then press the O button. To turn the TV and the STB off, press the O button and hold it for two seconds.



• Controlling the TV only.

Press the **DEVICE** button and change to TV mode. The TV LED goes on and off. You can only control the TV using the universal remote.

Controlling the STB only

Press the **DEVICE** button and change to STB mode. The STB LED goes on and off. You can only control the Set-Top box using the universal remote.

To initializing (reset) the Universal Remote Control

Initializing erases the current code set from the remote control's memory.

- 1. Press the SETUP button for 3 seconds. All the TV and STB LEDs on the top of your remote blink twice simultaneously.
- 2. Press in sequence: 9, 8, 1.
- 3. The TV and STB LEDs on the top of your remote blink once simultaneously, and then the Universal Remote Control initializes.

Universal Remote Code Set list

Setup Codes For Cable Set Top Box

Brand	Code Set	Brand	Code Set
ABC	0008	HelloD	2979
ADB	2254, 2586	Homecast	2301
Ajinvision	1271	Humax	2962
Amino	1481, 1602, 1822, 2482, 2655	I-Digital	3319
Arris	2187	i3 Micro	1602
AT&T	0858	Insight	1376, 1877
Bell	1998	Jerrold	0476
Bright House	1376, 1877	KNC	0008
C & M	2962, 3319	Knology	1877
Cable One	1376, 1877	KoolConnect	1481
Cablevision	1376, 1877	LG	0040, 0144, 0838, 2692
Charter	1376, 1877, 2187	LG U+	2682
Cisco	0858, 0877, 1877, 1982, 2345, 2378, 3028	Mediacom	1376, 1877
CJ Digital	2693, 2979	Mega TV	2683
CJ HelloVision	3322	Memorex	0000
Comcast	0476, 1376, 1877, 1982, 2187, 2576	Motorola	0476, 0858, 1376, 1982, 1998, 237
Comtronics	0040	Moxi	2187
Cox	1376, 1877	MTS	1998
Daehan	0778	MyLGTV	2682
Daeryung	0008, 0877, 1877	Myrio	1602, 1822
Digeo	2187	OllehTV	2683
Director	0476	Pace	0008, 1376, 1877, 1982
Dongkuk	0702	Pacific	1410
Entone	2302, 3048	Panasonic	0000, 1982
Everquest	0040	Paragon	0000
General Instrument	0476	Pioneer	0144, 0877, 1877
GoldStar	0040, 0144, 0838	Pulsar	0000
Hana TV	2681, 2959	QooK TV	2683
Hello TV	3322	Quasar	0000

Brand	Code Set
RCN	0476, 1376
Rogers	1877
Runco	0000
Samsung	0000, 0040, 0144, 0702, 0840, 1877, 2979, 3319
Sasktel	1998
Scientific Atlanta	0008, 0858, 0877, 1877, 1982, 2345, 3028
Seawoo	0073
Sejin	1602
Shaw	1376
Signal	0040
SKBtv	2681
SL Marx	0040
SMtronics	3319
Stargate	0040
Suddenlink	1376, 1877
SureWest	1481, 1998
Suwon Cable	3319

Brand	Code Set
TaeKwang	0068
Taepyung	1410
Taihan	0778
Teleview	0040
Telus	2345
Thomson	1982
Time Warner	1376, 1877, 2187
Timeless	0040
TiVo	2576
TongKook	0840
Topfield	2981
Toshiba	0000
UBS	0073
Verizon	2378
Videotron	1877
WideOpenWest	1877
Zenith	0000, 0525

Setup Codes For Satellite Set Top Box

Brand	Code Set
Bell ExpressVu	0775
DirecTV	1377, 1442, 1609
Dish Network	0775
Dishpro	0775
Echostar	0775
Expressvu	0775
General Instrument	0869
GOI	0775
HTS	0775
Hughes Network Systems	1377, 1442
Humax	1406, 1407
Jerrold	0869
JVC	0775

Brand	Code Set
LG	0335, 0461
Motorola	0869
Next Level	0869
Olleh-Skylife	3321
Philips	1442
Qook-Skylife	3321
RadioShack	0869
Radix	1255
Samsung	1276, 1377, 1442, 1609
Shaw Direct	0869
SkyLife	0796, 1255, 3321
Star Choice	0869
TiVo	1442
Voom	0869

Configuring the Basic Settings in Initial Setup

When you turn the TV on for the first time, a sequence of screens and on-screen prompts will assist you in configuring the TV's basic settings. Plug the power cord into a wall outlet, and then press the 🖒 button to turn on the TV.

- Setup is available only when the input source is set to TV. See "Changing the Input Source" (page 27).
- To return to the previous step in the Setup sequence, select Previous.
- Be sure to complete the initial configuration to access all functions.
- If you are not using a cable box or satellite box, make sure you have connected the TV to an antenna or cable connection before you turn on the TV. See page 10 for instructions.
- If you want to configure a wired network connection during Setup, make sure you've connected a LAN cable to your TV. See pages 16 for instructions. If you want to configure a wireless network connection during Setup, make sure your wireless modem or router is on and working.

1	Menu Language: Select a Language.	After you press the 🕁 button, the Start screen appears. Select Next to continue. The Menu Language screen appears. Select the menu language you want using your remote, and then select Next . The TV will display on-screen menus using the language you select beginning with the next step in the Setup process.
2	Use Mode : Select the Home Use Mode.	 On the Use Mode screen, select the Home Use using your remote, and then select Next. The Network Settings screen appears. Store Demo is for retail environments only. If you select Store Demo, some functions will not work, and the TV will reset all functions to their factory default after a certain period of time. For more information about Store Demo, go to the end of this section.
3	Network Settings: Configure the network settings. Solution To configure later, select Skip. You can set up the network connection later using the on- screen Network menu.	To configure your network settings, select Next using your remote, and then go to 3A - Wireless Network or 3B - Wired Network on the next page. If you do not know your network configuration information or want to configure the settings later, or do not have a network, select Skip , and then go to 5 - Auto Program (1) on page 25. To configure network settings later, refer to "Setting up the Wired or Wireless Network" in the e-Manual or see the Network Connection sections in this manual (pages 15 and 31).

3 Wireless Network	 The TV searches for and then displays all the wireless networks within range. When done, it displays a list of the networks. In the list of networks, move the Highlight to select a network, and then select Next. If the selected network requires a Security Key, the Security Key screen appears.
	If you have a WPS(PBC) compatible router, select WPS(PBC) instead, and then follow the directions on the screen. When done, go to Step 4.
	2. Enter your network security key or WPS PIN using your remote.
	👒 Enter numbers and letters using your remote.
	 You can enter numbers by pressing the number buttons on the remote.
	 To enter a letter, move the Highlight to the letter, and then select it. You can enter numbers in the same fashion if you choose.
	To display capital letters (or redisplay small letters if capital letters are displayed), select Caps or Shift.
	To display symbols and punctuation, select 1 ⁺ . To redisplay letters, select 1 ⁺ again.
	 When done, select Next if you have entered a security key or WPS PIN if you have entered a WPS PIN.
	4. The TV checks the wireless connection. If the connection is successful, the You are connected to the Internet. If you have any problems using online services, please contact your Internet Service Provider. message appears. Select Next, and then go to 4 Software Upgrade Step.
	If the connection fails, select Previous , repeat Step 1 and 2, carefully re-enter your security key or WPS PIN, then repeat Steps 3 and 4. If it fails again, select Next on the "Connection Failed" screen, and then go to 5 - Auto Program (1) on the next page. Configure your network later through Network Settings in the TV's Menu. For more information, refer to "Setting up the Wired or Wireless Network" in the e-Manual or see the Network Connection sections in this manual (pages 15 and 31).
3B Wired Network	The TV checks the network connection, then displays the You are connected to the Internet. If you have any problems using online services, please contact your Internet Service Provider. message appears. Select Next . The Software Upgrade screen appears.

4	Software Upgrade: Update the software to the latest version. To update later, select Skip.	 When Network Settings is complete, your TV will check for a new software version automatically. If new software is available, the TV downloads and installs the new software. When the download is complete, select Next. If you want to upgrade later, select Skip. For more information, refer to Software Update (Preference Features → Support Menu) in the e-Manual. This may take some time, depending on your network status. You can only upgrade software if your TV has an active network connection. If no new update software is available, a no new updates message appears on the screen. Select OK.
5	Auto Program (1): Select where your TV signal comes from.	 Select the appropriate option for your TV using your remote, and then select Next. Yes, I need to.: Select if you have an antenna or a cable connection without a set-top box. If you select this option, go to 6 - Auto Program (2) Step. No, I don't need to.: Select if you have a satellite or cable set-top box. You do not need to run Auto Program. If you select this option, go to 8 - Clock on the next page.
6	Auto Program (2): Select the search options.	 Select Air or Cable using your remote. A check appears on your selection. When done, select Next. You can check both if you have both connected. If you selected Air, go to 7 - Auto Program (3). If you selected Cable, you'll go to the cable system screen. Select Digital Cable System. The option window appears. Select the correct cable signal format; STD, HRC, or IRC. Most cable systems use STD (Standard). Repeat the same process with Analog Cable System. When done, select Next.
7	Auto Program (3): Channel memorization	Channel memorization stars. Channel memorization can take up to 45 minutes, depending on your cable system. For more information, refer to Auto Program (Channel Menu \rightarrow Memorizing Channels) in the e-Manual. Select Stop at any time to halt the memorization process.

Clock: Set the Clock.

Select Auto or Manual, and then select Next.

If you selected No, I don't need to. in 5 - Auto Program (1), you can only set the current time and date manually, using your remote.

Auto

If you selected **Auto**, the TV will automatically download the correct time from a digital channel. The **Time Zone** screen will appear. Select your **Time Zone**, and then select **Next**. The **DST** (Daylight Savings Time) screen will appear. The **DST** function sets the time ahead one hour to adjust the clock for Daylight Savings Time. Select **On** if you want to turn the DST adjustment on. Select **Off** to turn off the DST adjustment. You can also turn the DST function on through the TV's on screen menu (**Menu** \rightarrow **System** \rightarrow **Time** \rightarrow **Clock** \rightarrow **DST**).

Manual

If you selected **Manual**, you'll go to the **Clock** screen. Select **Date** or **Time**. You can set the current date and time using your remote. When done setting the **Date** and **Time**, select **Next**.

Review the Setup data, and then select **Close** to finish.

The completed settings are displayed.

If You Want to Rerun Setup...

 $Menu \rightarrow System \rightarrow Setup$

If You Want to Turn the Store Demo Mode On or Off.

To set or unset **Store Demo** mode outside of **Setup**, press and release the Controller when the power is on. The Function menu screen appears. Push the Controller to the left (to **MENU** (IIII)) and hold for more than 5 seconds. The **Store Demo** mode is set. To cancel **Store Demo**, bring up the Function menu using the Controller, push the Controller to the right (to **Source** (-----))) and hold for more than 5 seconds. See page 29 for information about the Controller.



Source

$\boldsymbol{\textcircled{O}} \to \textbf{Source}$

When you are watching TV and you want to watch a movie on your DVD player or Blu-ray player or switch to your cable box or STB satellite receiver, you need to change the Source.

TV / HDMI1/DVI / HDMI2 / HDMI3 / AV / Component

- 1. Press the 🕲 button on your remote. The Smart Hub screen appears.
- 2. Select Source. The Source screen appears.
- 3. Select a desired external input source.
- S Alternatively, you can access the Source screen by pressing the SOURCE- button on your remote.
- You can only choose external devices that are connected to the TV. In the displayed Source list, connected inputs are highlighted.

How to Use Edit Name

Edit Name lets you associate a device name to an input source. To access Edit Name, press the TOOLS 🗐 button on your remote when the Source list is displayed. The following selections appear under Edit Name:

- VCR / DVD / Cable STB / Satellite STB / PVR STB / AV Receiver / Game / Camcorder / PC / DVI PC / DVI Devices / TV / IPTV / Blu-ray / HD DVD / DMA: Select an input jack, and then select the name of the device connected to that jack from the list that appears. For example, if you have your Bluray player attached to HDMI IN 2 (ARC), select Blu-ray for that input.
- If you connect a PC to the HDMI IN 1 (DVI) port with an HDMI cable, assign PC to HDMI1/DVI in Edit Name.
- If you connect a PC to the HDMI IN 1 (DVI) port with an HDMI to DVI cable, assign DVI PC to HDMI1/DVI in Edit Name.
- If you connect an AV device to the HDMI IN 1 (DVI) port with an HDMI to DVI cable, assign DVI Devices to HDMI1/DVI in Edit Name.

Information

You can see detailed information about the selected external device.

Refresh


If the external devices are not displayed in the **Source** list, open the **Tools** menu, select **Refresh**, and then search for the connected devices.

Alternatively, you can refresh the Source list by pressing the A button on your remote.

How to Navigate Menus

Your TV's Main and Tools menus contains functions that let you control the TV's features. For example, in the Main menu you can change the size and configuration of the picture, its brightness, its contrast and so on. There are also functions that let you control the TV's sound, channel configuration, energy use, and a host of other features. To access the main, on-screen menu, press the **MENUIII** button on your remote. To access Tools menus, press the **TOOLS** to button. Tools menus are available when the **TOOLS** menu loon is displayed on the bottom right of the screen.

The illustration below displays the buttons on the remote you use to navigate the menus and select and adjust different functions.



- **1** MENUI button: Displays the main on-screen menu.
- 2 TOOLS ቭ button: Displays the Tools menus when available.
- ③ I and Direction buttons: Use the Direction buttons to move the cursor and highight an item. Use the Enter button to select an item or confirm the setting.
- 4 RETURNO button: Returns to the previous menu.
- 6 EXIT→ J button: Exits the on-screen menu.

How to Operate the Main Menu (OSD - On Screen Display) Using the Remote


The access steps may differ depending on the menu option you select.

	The main menu options appear on the screen:
	Picture, Sound, Channel, Network, System, Support.
	Select a main menu option on the left side of the screen with the \blacktriangle or \blacktriangledown
2 -	button.
3 3	Press 🖼 to access the sub-menus.
	Select the desired submenu with the \blacktriangle or \blacktriangledown button.
5 •/•/4/>	Adjust the value of an item with the \blacktriangleleft , \blacktriangleright , \blacktriangle , or \checkmark button. The adjustment in the OSD may differ depending on the selected menu.
6 🖼	Press 🖼 to confirm the selection.
7 EXIT+	Press EXIT+⊈.

Using the TV's Controller (Panel Key)

The TV's Controller, a small joy stick like button on the rear right side of the TV, lets you control the TV without the remote control.

The product color and shape may vary depending on the model.



- Sollow these instructions facing the front of your TV.
- When selecting the function by moving the controller to the up/down/left/right directions, be sure not to press the controller. If you press it first, you cannot operate it to move the up/down/left/right directions.

Power on	Turn the TV on by pressing the Controller when the TV is in standby mode.
Adjusting the volume	Adjust the volume by moving the Controller from side to side when the power is on.
Selecting a channel	Select a channel by moving the Controller upwards and downwards when the power is on.
Using the Function menu	To view and use the Function menu, press and release the Controller when the power is on. To close the Function menu, press and release the Controller again.
Selecting the SMART HUB (🕅)	With the Function menu visible, select SMART HUB () by moving the Controller upwards. The SMART HUB main screen appears. Select an application by moving the Controller, and then pressing the Controller.
Selecting the MENU (IIII)	With the Function menu visible, select the MENU (IIII) by moving the Controller to the left. The OSD (On Screen Display) Menu appears. Select an option by moving the Controller to the right. Move the Controller to the right or left, or upwards and downwards to make additional selections. To change a parameter, select it, and then press the Controller.
Selecting a Source ()	With the Function menu visible, open the Source (
Power Off (也)	With the Function menu visible, select Power Off () by moving the Controller downwards, and then press the Controller.

No close the Menu, Smart Hub, or Source, press the Controller for more than 1 second.

Standby mode

Your TV enters Standby mode when you turn it off and continues to consume a small amount of electric power. To be safe and to decrease power consumption, do not leave your TV in standby mode for long periods of time (when you are away on vacation, for example). It is best to unplug the power cord.

Using Smart Hub

Smart Hub provides easy, on-screen access to five functions that let you manage and access channels, set favorite channels, access photos, videos, or music on USB devices, cameras, and PCs, select video sources, and set the TV to turn on automatically when a show you want to watch is on. The five functions are listed below:

- Channel: Lets you manage channels, select favorite channels, add channels to and delete channels from the Added Ch. list (the channels that appear when you press the V CH A button.)
- Web Browser: Lets you browse the Internet.
- Schedule Manager: Lets you schedule shows and channels for viewing.
- Source: Lets you select a connected external video source to view.
- AllShare Play: Lets you access, view, or play photos, videos, or music located on USB devices, digital cameras, cell phones, and PCs. PCs and cell phones can be accessed wirelessly, through your wireless network.

Smart Hub also provides an easy-to-use gateway to a host of on-line media and entertainment including apps from the Samsung Apps store, streaming videos and movies, kids sites, and more.

Solution Solution

Sor more information about **Smart Hub**, see the e-Manual.

After you have run the initial setup, you can configure or reconfigure the network connections through the TV's menu.

Configuring a Wireless Network Connection

The instructions below are for networks that use the Dynamic Host Configuration Protocol (DHCP) to configure network connections automatically. Most wireless networks use DHCP. If you have a Static IP network, see the e-Manual for configuration instructions.

To configure the network connection for a network that uses DHCP, follow these steps:

- 1. Connect your TV to your network as shown in the illustration on page 15.
- 2. Turn on your TV, and then go to the Network Settings screen. (Menu \rightarrow Network \rightarrow Network Settings)
- 3. Select Start. The Network function searches for available wireless networks. When done, it displays a list of the available networks.
- 4. In the list of networks, move the highlight to select a network, and then select Next.
 - If you have a WPS(PBC) compatible router, select WPS(PBC) instead, and then follow the directions on the screen.
- 5. Enter your network security key or WPS PIN using your remote.
 - Enter numbers and letters using your remote.
 - Enter numbers by pressing the number buttons on your remote.
 - To enter a letter, move the Highlight to the letter, and then select it. You can enter numbers in the same fashion if you choose.
 - To display capital letters (or redisplay small letters if capital letters are displayed), select Caps or Shift.
 - So To display symbols and punctuation, select 1★. To redisplay letters, select 1★ again.
- 6. When done, select Next if you have entered a security key or WPS PIN if you have entered a WPS PIN.
- 7. The TV checks the wireless connection. If the connection is successful, the "You are connected to the Internet. If you have any problems using online services, please contact your Internet Service Provider." message appears. Select Next using your remote.
 - Ser more detailed information, see "Setting up the Wireless Network" in the e-Manual.
 - If you want to configure the connection manually, select IP Settings on the Network Connection screen. Set IP Mode to Enter manually, and then enter the IP Address, Subnet Mask, Gateway, and DNS Server manually.

Configuring a Wired Network Connection

Most home networks use the Dynamic Host Configuration Protocol (DHCP) to configure network connections. Home networks that support DHCP automatically provide the IP address, subnet mask, gateway, and DNS values your TV needs to access the Internet so you don't have to enter them manually. If you have a Static IP network, see your user's manual for configuration instructions.

To configure the network connection for a wired network that uses DHCP, follow these steps:

- 1. Connect your TV to your network as shown in one of the illustrations on page 16.
- 2. Turn on your TV, and then go to the Network Settings screen. (Menu \rightarrow Network \rightarrow Network Settings)
- 3. Select Start.
- 4. The Network Connection screen appears, and verifies the network connection. When the connection has been verified, the "You are connected to the Internet. If you have any problems using online services, please contact your Internet Service Provider." message appears. Network set up is completed.
- If your TV cannot acquire network the connection values automatically or if you want to set the connection manually, select IP Settings on the network connection screen. Set IP Mode to Enter manually, and then enter the IP Address, Subnet Mask, Gateway, and DNS Server manually.
- So For more detailed information, refer to "Setting up the Wired Network" in the e-Manual.

How to view the e-Manual



You can find instructions for your TV's features in the e-Manual. To open the e-Manual, press the **SUPPORT** button on your remote.

You can also access it through the menu:


 $Menu \rightarrow Support \rightarrow e-Manual$

Access the e-Manual

To use the e-Manual, follow these steps:

- 1. When you need help, press the SUPPORT button on your remote. The Support screen appears.
- 2. Select e-Manual using your remote. The e-Manual screen appears.
- **3.** Select a desired category.
- 4. Select a desired topic. The e-Manual displays the page you want to see.
- Selue words in e-Manual signify menu options or selections on TV screen.
- Screen icons in the e-Manual signify a button on your remote.
- S Arrow steps (e.g. Menu → Support → e-Manual) in the e-Manual signify the sequence of steps required to access an option or activate a function.

How to toggle between an e-Manual topic and the corresponding OSD menu(s).



- This function is not enabled in some menus.
- Sou can't use the **Try Now** function if the menu is not available.
- 1. To go to the topic's corresponding menu option, press the 🖪 button on your remote.
- 2. To return to the e-Manual screen, press the SUPPORT button on your remote.

Using the colored and function buttons with the e-Manual

- Scroll bar: Scroll the e-Manual screen up or down.
- •
 / >: Moves to the previous or next chapter.
- Try Now: Move to the OSD menu that corresponds to the topic. To return to the e-Manual screen, press the SUPPORT button on your remote.
- **B** Home: Moves to the e-Manual home screen.
- C Position: Each time you select C, you change the position of the e-Manual screen.
- D Index: Displays the Index screen.
- **CALC** Return: Return to the previous screen.

How to search for a topic on the index page

- 1. Select D using your remote. The Index screen appears.
- 2. To search for a topic, select a letter. The Index displays a list of topics and keywords that begin with the letter you selected.
- 3. Select a topic or keyword you want.
- 4. The e-Manual page with the topic appears.
 - Solution. To close the Index screen, press the RETURN'S button.

To Change the screen position of the e-Manual

If the e-Manual screen is not invisible well because the OSD Menus screen, you can change the e-Manual screen's position.

- 1. Move the Highlight to the e-Manual screen by pressing the SUPPORT button on your remote.
- 2. Press the IC button on your remote. Each time you select IC, the position of the e-Manual will change.

Troubleshooting

If the TV seems to have a problem, first review this list of possible problems and solution. Also review the Troubleshooting Section in the e-Manual. If none of the troubleshooting tips apply, visit www.samsung. com/support or call Samsung Customer Service at 1-800-SAMSUNG (1-800-726-7864).

Issues	Solutions and Explanations
Flickering and Dimming	If your Samsung Television is flickering or dimming sporadically, you may need to disable some of its energy efficient features such as the Eco Sensor or the Energy Saving feature. Follow the steps below with your remote to turn these features off or on.
	• Energy Saving: User Menu \rightarrow System \rightarrow Eco Solution \rightarrow Energy Saving
	• Eco Sensor: User Menu \rightarrow System \rightarrow Eco Solution \rightarrow Eco Sensor
Component Connections / Screen Color	If you find that the color on your Samsung television's screen is not correct or black and white, first run a Self Diagnosis on the TV to make sure there are no device issues.
	• Self Diagnosis: User Menu \rightarrow Support \rightarrow Self Diagnosis \rightarrow Picture Test
	If the problem does not appear in the Picture test, make sure:
	 Your connections are all consistent. For example, if you've used the AV In jack on your TV, make sure you have used the AV Out jack on your video source.
	• You have connected your devices to the correct jacks. For example, if you use the Component jacks, labeled Pb, Pr, and Y, to connect your TV and video source, make sure you have connected the blue Pb jack on the video source to the blue Pb jack on the TV, and the yellow Y jack on the source to the yellow Y jack on the TV.
Screen Brightness	If you find that the colors on your Samsung TV are correct but just a little too dark or bright, try adjusting the following settings in the Picture menu option of the Main menu:
	• Backlight, Contrast, Brightness, Sharpness, Color, Tint (G/R) and so on.
Blur	If you find that there is a blur or "ghostlike" appearance to the images on your television's screen, you might be able to correct the blurring using Auto Motion Plus .
	• Auto Motion Plus: User Menu \rightarrow Picture \rightarrow Picture Options \rightarrow Auto Motion Plus


	Solutions and Explanations		
-	If your Samsung TV appears to turn off by itself, there may be an issue with either your Timer settings or your Eco friendly No Signal Power Off feature.		
	First make sure Sleep Timer is not accidentally set. The Sleep Timer turns off the TV automatically after a certain period of time has passed.		
	• Sleep Timer: User Menu \rightarrow System \rightarrow Time \rightarrow Sleep Timer		
	If the Sleep Timer is not activated, you may have engaged the No Signa Power Off or Auto Power Off feature.		
	• No Signal Power Off: User Menu \rightarrow System \rightarrow Eco Solution \rightarrow N Signal Power Off		
	- Auto Power Off: User Menu \rightarrow System \rightarrow Eco Solution \rightarrow Auto Power Off		
Trouble Powering On	Before you turn the TV on, find the red light on the right or left bottom of your TV. Press the Power on button on the TV or remote. The light should blink about 5 times before the TV turns on.		
	If you find that you are having trouble powering on your Samsung television, there are a number of things to check before making a call to the service department.		
	If you're sure your power cord, remote control, and PC are functioning properly, you may be having a cable issue. If you have a cable or satellite box, your TV may appear to be off because the cable or satellite box is not outputting a signal. To test the signal output of your cable or satellite box, press the guide or info button on the cable or satellite box remote control. If the screen displays the guide or info data, the problem is caused by the box.		
Stand Assembly	If you have any trouble assembling the stand first, review "Install the Stand" in the paper manual.		
Cannot Find a Channel	Re-run Setup (Go to User Menu \rightarrow System \rightarrow Setup) or run Auto Program. (Go to User Menu \rightarrow Channel \rightarrow Auto Program).		

Service the transformation, watch the transformation watch the transfor

Issues	Solutions and Explanations		
The TV won't turn on.	• Make sure the AC power cord is securely plugged in to the wall outlet and the TV.		
	Make sure the wall outlet is working.		
	 Try pressing the button on the TV to make sure the problem is not the remote. If the TV turns on, refer to "Remote control does not work" below. 		
There is no picture/video.	Check the cable connections. Remove and reconnect all cables connected to the TV and external devices.		
	• Set the video outputs of your external devices (Cable/Sat Box, DVD, Blu-ray etc) to match the TV's input connections. For example, if an external device's output is HDMI, it should be connected to an HDMI input on the TV.		
	• Make sure your connected devices are powered on.		
	Be sure to select the correct input source.		
	 Reboot the connected device by unplugging it, and then reconnecting the device's power cable. 		
The remote control does not work.	 Replace the remote control batteries. Make sure the batteries are installed with their poles (+/–) in the correct direction. 		
	Clean the sensor's transmission window on the remote.		
	• Try pointing the remote directly at the TV from 5~6 feet away.		
The cable/set top box remote control doesn't turn the TV on or off, or adjust the volume.	Program the Cable/Set remote control to operate the TV. Refer to the Cable/Set-Top-Box user manual for the SAMSUNG TV code.		

This TFT LED panel uses a panel consisting of sub pixels which require sophisticated technology to produce. There may be, however, a few bright or dark pixels on the screen. These pixels will have no impact on the performance of the product.

So the point TV in optimum condition, upgrade to the latest firmware on the Samsung web site by USB (samsung.com \rightarrow Support \rightarrow Downloads).



Storage and Maintenance

- If a sticker was attached to the TV screen, some debris can remain after you remove the sticker. Please clean the debris off before watching TV.
- The exterior and screen of the product can get scratched during cleaning. Be sure to wipe the exterior and screen carefully using a soft cloth to prevent scratches.



Do not spray water directly onto the product. Any liquid that goes into the product may cause a failure, fire, or electric shock.



Clean the product with a soft cloth dampened with a small amount of water. Do not use a flammable liquid (e.g. benzene, thinners) or a cleaning agent.



Securing the TV to the Wall



Caution: Pulling, pushing, or climbing on the TV may cause the TV to fall. In particular, ensure your children do not hang over or destabilize the TV. Doing so may cause the TV to tip over, causing serious injuries or death. Follow all safety precautions provided in the Safety Flyer included with your TV. For added stability and safety, you can purchase and install the anti-fall device as described below.


The TV-Holder Kit (Sold Separately):

The parts below are included in the TV Holder kit. In addition, you need to provide a wood screw, screw and molly, or other screw appropriate for the wall or cabinet you intend to secure the TV-Holder string to. We recommend a size M4xL20 wood screw.




Installing the TV-Holder

- 1. Remove the screw attached to the back of your TV, and then connect the TV-Holder to the TV with the screw included in the TV-Holder Kit that is designated for your TV.
 - Make sure to use only the appropriate supplied screw. If you use a different screw, you can damage your TV.



- 2. Firmly fasten the screw you provided (size M4xL20 or similar) to the wall or cabinet where the TV is to be installed.
 - If you fasten the screw to the wall, we recommend you drive the screw into a stud. If that is not possible, use a molly to anchor the screw.

- 3. Tie the TV-Holder cord to the screw fastened to the wall or cabinet so that the TV is fixed. See the illustrations below.
 - S Install the TV close to the wall so that it does not fall.
 - When attaching the TV-Holder cord to the wall, tie the cord level with the ground or slanted downwards for safety purposes.
 - Scheck the cord occasionally to make sure it is secure.
 - Before moving the TV, separate the connected cord first.



4. Verify all connections are properly secured. Periodically check the connections for any sign of fatigue or failure. If you have any doubt about the security of your connections, contact a professional installer.

To purchase the TV-Holder Kit, contact Samsung Customer Care

- In the United States: 1-800-SAMSUNG (1-800-726-7864)
- In Canada: 1-800-SAMSUNG (1-800-726-7864)

Specifications

Dial District						
Display Resolution Environmental Considerations	1920	x 1080				
Operating Temperature	50°F to 104°F (10°C to 40°C)					
Operating Humidity	10% to 80%, r	10% to 80%, non-condensing				
Storage Temperature	-4°F to 113°F	(-20°C to 45°C)				
Storage Humidity	5% to 95%, n	on-condensing				
Stand Swivel (Left / Right)	-20°	~ 20°				
Model Name	UN46ES7100	UN55ES7100				
Screen Size	46" Class	55" Class				
(Diagonal)	(45.9" measured diagonally)	(54.6" measured diagonally)				
Sound						
(Output)	10 V	V X 2				
Dimensions (W x H x D)						
Body	40.9 x 23.7 x 1.2 inches	48.4 x 27.9 x 1.2 inches				
	(1040.1 x 603.4 x 30.0 mm)	(1231.6 x 711.0 x 30.0 mm)				
With stand	40.9 x 26.7 x 10.8 inches	48.4 x 30.9 x 10.8 inches				
	(1040.1 x 679.2 x 276.7 mm)	(1231.6 x 787.0 x 276.7 mm)				
Weight						
Without Stand	25.1 lbs (11.4 kg)	34.6 lbs (15.7 kg)				
With Stand	29.3 lbs (13.3 kg)	38.8 lbs (17.6 kg)				
Model Name		S7100				
Screen Size		Class				
(Diagonal)	(60.0" measur	red diagonally)				
Sound	-					
(Output)	10 V	10 W X 2				
Dimensions (W x H x D)						
Body		53.9 x 31.3 x 1.2 inches				
With stand	(1369.5 x 797.5 x 30.0 mm)					
WILLI SLALIU	53.9 x 34.3 x 12.1 inches					
Woisht	(1369.5 x 873.	6 x 309.8 mm)				
Weight Without Stand	10.0 %	(10.01.)				
With Stand		43.6 lbs (19.8 kg)				
Thirt oldrid	49.1 lbs	(22.3 KY)				

Design and specifications are subject to change without prior notice.

So The actual appearance of the TV may differ from the images in this manual, depending on the model.

S This device is a Class B digital apparatus.

-

So For information about the power supply, and more about power consumption, refer to the label attached to the product.

Typical power consumption is measured according to Energy Star Program requirements for Televisions.

Dispose unwanted electronics through an approved recycler. To find the nearest recycling location, go to our website: www.samsung.com/recyclingdirect or call, (877) 278 - 0799

Display Resolution

If you have attached the TV to your PC, you can select one of the standard resolutions listed in the Resolution column. The TV will automatically adjust to the resolution you choose.

Mode	Resolution	Horizontal Frequency (KHz)	Vertical Frequency (Hz)	Pixel Clock Frequency (MHz)	Sync Polarity (H / V)
	640 x 350	31,469	70.086	25.175	+/-
IBM	720 x 400	31.469	70.087	28.322	-/+
	640 x 480	35.000	66.667	30.240	-/-
MAC	832 x 624	49.726	74.551	57.284	-/-
MAO	1152 x 870	68.681	75.062	100.000	-/-
	640 x 480	31.469	59.940	25.175	-/-
	640 x 480	37.861	72.809	31.500	-/-
	640 x 480	37.500	75.000	31.500	-/-
	800 x 600	37.879	60.317	40.000	+/+
	800 x 600	48.077	72.188	50.000	+/+
	800 x 600	46.875	75.000	49.500	+/+
	1024 x 768	48.363	60.004	65.000	-/-
	1024 x 768	56.476	70.069	75.000	-/-
	1024 x 768	60.023	75.029	78.750	+/+
VESA DMT	1152 x 864	67.500	75.000	108.000	+/+
VESA DIVIT	1280 x 720	45.000	60.000	74.250	+/+
	1280 x 800	49,702	59.810	83.500	-/+
	1280 x 1024	63.981	60.020	108.000	+/+
	1280 x 1024	79.976	75.025	135.000	+/+
	1366 x 768	47.712	59.790	85.500	+/+
	1440 x 900	55.935	59.887	106.500	-/+
	1600 x 900RB	60.000	60.000	108.000	+/+
	1680 x 1050	65.290	59.954	146.250	-/+
	1920 x 1080	67.500	60.000	148.500	+/+

NOTE

• The interlaced mode is not supported.

The set might operate abnormally if you select a non-standard video format.

Video Codec

File Extension	Container	Video Codec	Resolution	Frame rate (fps)	Bit rate (Mbps)	Audio Codec
*.avi		DIVX 3.11/4.x/5.x/6.x				
*.mkv *.asf		MPEG4 SP/ASP	1920 x 1080		30	
*.wmv *.mp4		H.264 BP/MP/HP				AC3 LPCM
*.3gp *.vro	AVI MKV	Motion JPEG	640 x 480		8	ADMPCM(IMA, MS)
*.mpg *.mpeg	ASF MP4	Window Media Video v9	21			AAC
*.ts *.tp	3GP VRO VOB PS	. MPEG2	1920 x 1080	6 – 30	30	HE-AAC WMA DD+ MPEG(MP3)
*.trp *.mov		MPEG1				
*.flv *.vob	TS					DTS Core G.711(A-Law, µ-Law)
*.svi *.m2ts		VP6	640 x 480		4	E
*.mts *.divx						
*.webm	WebM	VP8	1920 x 1080	6 - 30	8	Vorbis

Other Restriction

- Nideo content will not play, or not play correctly, if there is an error in the content or the container.
- Sound or video may not work if the contents have a standard bit rate/frame rate above the compatible Frame/sec listed in the table above.
- If the Index Table is damaged, the Seek (Jump) function is not supported.
- When you play video over a network connection, the video may not be played smoothly.
- Solution The menu may take longer to appear if the video's bit rate exceeds 10Mbps.
- Some USB/digital camera devices may not be compatible with the player.

Video decoder


- Supports up to H.264, Level 4.1.
- H.264 FMO / ASO / RS, VC1 SP / MP / AP L4 are not supported.
- For all Video codecs except VP8, VP6:
 - Below 1280 x 720: 60 frame max
 - Above 1280 x 720: 30 frame max
- GMC is not supported.
- Supports only SVAF Top/Bottom and Side by Side.

Audio decoder

• WMA 9, 10 Pro supports up to 5.1 channel and M2 profile (except LBR mode of M0).

- WMA lossless audio is not supported.
- If Vorbis is only in Webm container, supports up to 2 channel.

Jack panel detail / Rear view



Dimensions

(Unit: inches)

Model name	(1)	2	3	4	5
UN46ES7100	15.7	15.7	12.6	2.9	4.6
UN55ES7100	15.7	15.7	16.3	6.6	5.2
UN60ES7100	15.7	15.7	19.0	8.5	6.7

NOTE: All drawings are not necessarily to scale. Some dimensions are subject to change without prior notice. Refer to the dimensions prior to performing installation of your TV. Not responsible for typographical or printed errors.

© 2012 Samsung Electronics America, Inc